

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	443940	led (light near emitting near device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 18:43
S3	297	semiconductor near diode adj (die chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:46
S4	6	S3 with (encapsulant near S3 partial\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 18:46
S5	2	S3 near5 (encapsulant near S3 partial\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:00
S6	76	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 18:47
S7	45	S6 and (encapsulant near S3 partial\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 18:48
S8	1	S7 and amorphous near3 fluoropolymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 09:55
S9	1	S7 and amorphous and fluoropolymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 18:50
S10	1	S7 and fluoropolymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 18:50

S11	2	S7 and amorphous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 18:51
S12	60853	(amorphous near3 fluoropolymer) ptfe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 18:01
S13	444181	led (light near emitting near device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 09:57
S14	298	semiconductor near diode adj (die chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 09:57
S15	77	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 09:57
S16	2	S12 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 09:59
S17	3147	S13 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 09:59
S18	2	S14 near5 (encapsulant near3 partial\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:03
S19	0	encapsult\$3 near5 S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:01
S20	3	encapsult\$3 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:02

S21	2	S17 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:02
S22	2	S17 and (encapsulant near3 partial\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:31
S23	97	S17 and encapsul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:32
S24	3147	S17 withencapsul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:04
S25	1	10/609040	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:13
S26	25737	flip near chip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:17
S27	52	S17 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:17
S28	4	S27 and encapsul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:18
S29	4	S23 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:19
S30	2	S13 and S14 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:29

S31	3147	S13 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:30
S32	2	S31 and diode near die	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:31
S33	769	S31 and diode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:53
S34	4	S12 and (encapsulant near3 partial\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:31
S35	1082	S12 and encapsul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:32
S36	3	"2001050877"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:55
S37	4	"2002008279"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 10:56
S38	3	"2002015344"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:01
S39	2	("6771525").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:02
S40	65815	(amorphous near3 fluoropolymer fluoro\$5 near2 (polymer plastic)) ptfe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 18:04

S41	444463	led (light near emitting near device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 13:46
S42	59	S40 with S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:54
S43	2	("5686360").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 08:49
S44	65815	(amorphous near3 fluoropolymer fluoro\$5 near2 (polymer plastic)) ptf	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:25
S45	1	S43 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 08:50
S46	1	(light near emitting near device) and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:28
S47	0	S46 and die	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 08:52
S48	0	S46 and diode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 08:52
S49	1	08/886112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:53
S50	1	07/886112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:52

S51	11	"886112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:53
S52	444463	led (light near emitting near device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:54
S53	59	S44 with S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:55
S54	13	S53 and diode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:56
S55	4	S54 and fluorescent near phosphor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:57
S56	6352	(amorphous near3 fluoropolymer fluoro\$5 near2 (polymer plastic)) ptfе near5 formula	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:21
S57	6352	(amorphous near3 fluoropolymer fluoro\$5 near2 (polymer plastic)) ptfе near5 formul\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:16
S58	22	(light near emitting near device) and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:16
S59	4650	(amorphous near3 fluoropolymer fluoro\$5 near (polymer plastic)) ptfе near5 formul\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:16
S60	20	(light near emitting near device) and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:23

S61	2181	((amorphous near3 fluoropolymer fluoro\$5 near2 (polymer plastic)) ptfe) near5 (encapsul\$4 cover\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:23
S62	1	(light near emitting near device) and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:23
S63	3486	((amorphous near3 fluoropolymer fluoro\$5 near2 (polymer plastic)) ptfe) with (encapsul\$4 cover\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:27
S64	4	(light near emitting near device) and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:26
S65	65782	(amorphous near fluoropolymer fluoro\$5 near2 (polymer plastic)) ptfe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:25
S66	65782	(amorphous near fluoropolymer fluor:polymer fluoro\$5 near2 (polymer plastic)) ptfe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:26
S67	65767	(amorphous adj fluoropolymer fluor:polymer fluoro\$5 near2 (polymer plastic)) ptfe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:33
S68	35	S67 near5 encapsul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:28
S69	1	(light near emitting near device) and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:32
S70	163	(light near emitting near device) and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:34

S71	529	amorphous adj (fluoropolymer fluoro:polymer fluoro\$5 near2 (polymer plastic) ptfe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:42
S72	4	(light near emitting near device) and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:34
S73	1	S71 near encapsul\$\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:37
S74	1	S71 near encapsul\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:38
S75	1	S71 near (encapsul\$4 cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:39
S76	1	S71 near (encapsul\$4 len)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:39
S78	2321	(257/100,98).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:43
S79	1845	(313/512,501,502,503).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:43
S80	211377	light near emitting near (device element diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 13:49
S81	703	(fluoropolymer fluoro:polymer PTFE polytetrafluoroethylene) near3 amorphous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 13:51

S82	833	(fluoropolymer fluoro:polymer PTFE polytetrafluoroethylene) near3 amorphous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 13:52
S83	439	(teflon near AF with Dupont) (cytop with asahi)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 13:54
S84	703	S81 and (S82 or S83)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:09
S85	47	S80 and (S82 or S83)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 13:58
S86	31	S85 and (encapsul\$4 cover\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 13:59
S87	40	S85 and (encapsul\$4 cover\$3 lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:06
S88	2	S85 and (encapsul\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:05
S89	34	S85 and (encapsul\$4 lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:06
S90	1599	S80 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 17:14
S91	161	S79 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 17:15

S92	2	S90 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 17:15
S93	0	S91 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 17:15
S94	530	amorphous adj (fluoropolymer fluor:polymer fluoro\$5 near2 (polymer plastic) ptfe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:24
S95	1	S94 near (encapsul\$4 lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:06
S96	2	("5686360").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:47
S97	530	amorphous adj (fluoropolymer fluor:polymer fluoro\$5 near2 (polymer plastic) ptfe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:06
S98	14	S97 with (encapsul\$4 lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:08
S99	705	(fluoropolymer fluoro:polymer PTFE polytetrafluoroethylene) near3 amorphous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:12
S10 0	835	(fluoropolymer fluoro:polymer PTFE polytetrafluoroethylene) near3 amorphous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:10
S10 1	440	(teflon near AF with Dupont) (cytop with asahi)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:10

S10 2	705	S99 and (S100 or S101)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:10
S10 3	2	(((fluoropolymer fluoro:polymer PTFE polytetrafluoroethylene) near3 amorphous) or (teflon near AF with Duponn) or (cytop with asahi)) and encapsul\$3 and diode and face	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:18
S10 4	1	(((fluoropolymer fluoro:polymer PTFE polytetrafluoroethylene) near3 amorphous) or (teflon near AF with Duponn) or (cytop with asahi)) and encapsul\$3 and diode and face).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:01
S10 5	4	((("6188527") or ("6407411")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:01